


# banana bike LT

Thank you for choosing Banana Bike. A Banana Bike is a fantastic first bike and a great way for your child to learn the basics of biking, learning to balance and steer whilst having massive fun!


For full instructions, please visit: <http://www.banana-bike.com/instructions>




- A & B – Bearings (Pair)
- C – Flat Plastic Washer
- D – Domed Plastic Washer
- E – Forks
- F – Handlebars
- G – Aluminium Hex Clamp
- H – Seat & Seat Post Unit
- I – Spanner
- J – Hex Key
- K – Aluminium Hex Clamp
- L – Frame
- M - Wheels



## Attach the Forks & Handlebars to the Frame




1. Lay the forks and frame on the floor
2. Slide the flat plastic washer (C) over the fork shaft (E)
3. Slide the bearings (A & B) into the frame head tube
4. Slide the forks through the bearings and frame head tube
5. Slide the domed bearing (D) over the forks to rest on the top of the bearing (B)



6. Slide the aluminium hex clamp (G) over the fork shaft
7. Slide the handlebars (F) into the fork shaft




8. Applying a small amount of downwards pressure to the hex clamp (G), tighten the hex clamp (G), using the hex tool (J) until it starts to grip the forks and handlebars
9. Then ensure the forks and handlebars are parallel
10. Fully tighten the aluminium hex clamp (Important!)
11. The handlebars and forks should now be fully joined and have a smooth turning action




## Attach the Wheels to the Frame

12. Turn the bike over with the handlebars on the floor
13. To fit the front wheel, remove the dome nut (O) and hooked safety clip (N) from each end of the axle.
14. Slide the axle into place between the forks
15. The spacers (P) and inner nuts (R) sit between the wheel bearing and the forks
16. Slide a hooked safety clip (N) over each end of the axle and hook them through the hole in the frame.
17. Fully tighten the dome nuts (O) (Important!).
18. Repeat with rear wheel
19. Regularly check that the dome nuts are tight. (Important!)



## Fit the Seat



19. Place the bike on its wheels
20. Gently slide the aluminium hex clamp (K) over the top of frame
21. Slide the seat post into the frame until the seat is at the required height. Please note the post minimum insertion mark
22. Partially tighten the clamp until the frame & clamp starts to grip the seat post
23. Ensure the seat is aligned with the frame
24. Fully tighten the hex clamp so that the seat post is fully secured (Important!)

Congratulations! The bike is now ready to ride, this is where the fun starts!

If you have any questions, issues or feedback please email us at:

[hello@banana-bike.com](mailto:hello@banana-bike.com) or visit <http://www.banana-bike.com/contact>

## Stay Safe

1. **IMPORTANT!** Before riding, please check that the seat, wheels and handlebars are tight and secure, failure to do so could result in an accident.
2. Adult assembly required.
3. For the child's personal safety, always use safety equipment such as Helmet, Elbow pads, Knee Pads, and Gloves. Always wear shoes when riding.
4. Don't transport passengers. Ride on smooth paved flat surfaces without any traffic. Not for use on public roads.
5. Do not ride at dusk, at night, or at times of limited visibility and unfit weather.
6. Replace worn or broken parts immediately.

## International

**DE** - Eine ausführliche Anleitung finden Sie unter:

**FR** - Pour des instructions complètes s'il vous plaît visitez:

**ES** - Para obtener instrucciones completas, visite:

**IT** - Per le istruzioni complete, visitare il sito:

<http://www.banana-bike.com/instructions>